## **ELEVATION CERTIFICATE**

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

			DILATION	1	FOR INCURANCE COMPANY LISE
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE POLICY NUMBER
BUILDING OWNER'S NAME  Dean Deily Com Fant  STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER  305 (a lendar) ST. NC-					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and		. 11 0 11	L DW.3		
CITY COT 18	WHITE	- MAW	010.3	STATE	zip code 98360
ORTING	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)		
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
530.138	0602	Can	8-19-87	A-4	1790
- 1 11 1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1	tum system used on t no BFE is provided o	on the FIRM, ar	nd the community has est	adiistied a di Li	Other (describe on back) or this building site, indicate
			ING ELEVATION INFORT		
of	et NGVD (or other FII VE, and V (with BFE is at an elevation of t BFE). The floor used the highest grade at floor used as the reference adjacent to the build ordance with the compatum system used in the fige 2). (NOTE: If the fige B, Item 7], then convents on Page 2.)  The vation is based on: The vation of the build of the build for the	AM datum—see  ). The bottom                 Indicate the reference level from the ding. If no floor munity's floody determining the elevation daturent the elevation daturent the development of the building during the development of the during the development of the development of the development of the development of the during the dur	Section B, Item 7). of the lowest horizontal state of the lowest horizontal state of the NGVD (or other FIF the level from the selected diagram is depth number is available above reference level elem used in measuring the lons to the datum system of the lowest level of the lowest level of the lowest level of the lowest level of the level of	ructural member RM datum—see Sed diagram is less the building nce? Yes elevations: W NG elevations is diffused on the FIRM on Page 4) drawings he reference level. A post-constru	above or below (check g's lowest floor (reference No Other (describe ferent than that used on M and show the conversion
Section B, Item 7).					
4	·		COMMUNITY INFORMAT		
ic not the "lowest floor"	as defined in the core ordinance is:	nmunity's flood	plain management ordina t NGVD (or other FIRM da	atum-see Section	indicated in Section C, Item 1 on of the building's "lowest n B, Item 7).
FFMA Form 81-31 MAY 9	r3 REPLACE	S ALL PREVIOUS	EDITIONS	SEE I	reverse side for continuation


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)				
Lyle E. Fox	12944				
TITLE	COMPANY NAME				
$P \in \mathcal{A}$	Leroy Surveyor	^			
ADDRESS	CITY	STATE ZIP			
1103 Shaw RD	Purjally P	WA. 983 12			
SIGNATURE ( L. L.	9-28-90 ATE	(252) 848-6608			
Copies should be made of this Certificate for: 1	) community official, 2) insurance age	ent/company, and 3) building owner.			
COMMENTS:					
		110			



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.