U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY Nutional Flood Insurance Program

## **ELEVATION CERTIFICATE**

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

	SECTION A – PROPERTY INFORMATION F		
A1. Building Owner's Name RBC REAL ESTATE FINANCE, INC.	Policy Number:		
A2. Building Street Address (Including Apt., Unit, Suite, and/or Bidg. No.) or PO. I 1512 HANSBERRY AVE NE	Company NAIC Number:		
CILY ORTING	ZIP Code 98360		
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Desc LOT 193, RIVERS EDGE, AFN 200608145001, PARCEL NO. 700			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) R			
A5. Latitude/Longitude: Lat. <u>47°07'10.5"</u> Long. <u>122°13'2</u> . A6. Attach at least 2 photographs of the building if the Certificate is being used		ll Datum: ☐ NAD 1927	
A7. Building Diagram Number 9	o continue moneral		
A8. For a building with a crawispace or enclosure(s):  a) Square (ontage of crawispace or enclosure(s)  1013	A9. For a building with an a	100	
b) Number of payment flood excelled in the excellence		attached garage <u>469</u> sq ft ent flood openings in the attached garage	
or enclosure(s) within 1.0 foot above adjacent grade	within 1.0 foot abo	ve adjacent gradeN/A	
c) Total net area of flood openings in A8.b 1170 sq	5		
d) Engineered flood openings?	d) Engineered flood o		
SECTION B – FLOOD INSURANCE RA B1. NFIP Community Name & Community Number B2. County		ION B3. State	
ORTING 530138 PIERCE		WA	
B4. Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM Parties B8. Suffix B6. FIRM Index Date B7. FIRM Parties B8. Suffix B6. FIRM Index Date B7. FIRM Parties B8. Suffix B6. FIRM Index Date B7. FIRM Parties B8. Suffix B6. FIRM Index Date B7. FIRM Parties	anel Effective/ B8. Flood Zone	(s) B9. Base Flood Elevation(s) (Zone A0, use base flood depth)	
E 08/19/1985	-1988 AE	MFF 141.0	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood dept	h entered in Item B9:	VERS EDGE PHASE 2B&3B	
B11. Indicate elevation datum used for BFE in Item B9: 🔀 NGVD 1929 🔲 B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or			
Designation Date:/ CBRS OPA	Otherwise Protected Area (OFA):	□ les ⊠ivo	
SECTION C – BUILDING ELEVATION INF	ODMATION (CUDVEY DEGI	IDED)	
C1. Building elevations are based on: Construction Drawings*	Building Under Construction*		
*A new Elevation Certificate will be required when construction of the building			
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), A C2.a–h below according to the building diagram specified in Item A7. In Puerl		AH, AR/AO. Complete Items	
Ozio il zololi potolicii B to tilo zolicii B diaBiam alegiami alegiami il iliani il iliani il iliani il iliani	o ruco orny, critor motors.		
	ical Datum: NGVD 29 EL=149	.86	
Benchmark Utilized: <u>PIERCE CO. BM 103-6T</u> Veri Indicate elevation datum used for the elevations in items a) through h) below.	ical Datum: <u>NGVD 29 EL=149</u> ⊠ NGVD 1929 □ NAVD 1988	Other/Source:	
Benchmark Utilized: PERCE CO. BM 103-6T Veril Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF	NGVD 29 EL=148     NGVD 1929	Olher/Source:	
Benchmark Utilized: PIERCE CO. BM 103-6T Vert Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)	NGVD 29 EL=148     NGVD 1929	Other/Source: measurement used. at meters	
Benchmark Utilized: PIERCE CO. BM 103-6T  Vert Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor	NGVD 29 EL=148     NGVD 1929	other/Source: measurement used, at meters at meters	
Benchmark Utilized: PERCE CO. BM 103-6T Vert Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF a) Top of bottom floor (including basement, crawlspace, or enclosure floor)	NGVD 29 EL=148     NGVD 1929	other/Source: measurement used.  ot	
Benchmark Utilized: PIERCE CO. BM 103-6T  Vert Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building	NGVD 29 EL=148     NGVD 1929	other/Source: measurement used.  ot	
Benchmark Utilized: PIERCE CO. BM 103-6T  Vert Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	NGVD 29 EL=148	other/Source: measurement used.  t	
Benchmark Utilized: PIERCE CO. BM 103-6T  Vert Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG)	NGVD 29 EL=148     NGVD 1929	Other/Source: measurement used.  ot	
Benchmark Utilized: PIERCE CO. BM 103-6T  Vert Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (HAG)  g) Highest adjacent (finished) grade next to building (HAG)	NGVD 29 EL=148     NGVD 1929	Other/Source: measurement used.  ot	
Benchmark Utilized: PIERCE CO. BM 103-6T  Vert Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG)	NGVD 29 EL=148	Other/Source: measurement used.  ot	
Benchmark Utilized: PIERCE CO. BM 103-6T  Vert Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including	NGVD 29 EL=148     NGVD 1929	other/Source: measurement used.  t	
Benchmark Utilized: PIERCE CO. BM 103-6T  Vert  Indicate elevation datum used for the elevations in items a) through h) below.  Datum used for building elevations must be the same as that used for the Br  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support  SECTION D – SURVEYOR, ENGINEER, this certification is to be signed and sealed by a land surveyor, engineer, or architect formation. I certify that the information on this Certificate represents my best efforts.	NGVD 29 EL=148     NGVD 1929	Other/Source: measurement used.  It	
Benchmark Utilized: PIERCE CO. BM 103-6T  Vert Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the Bf a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support  SECTION D - SURVEYOR, ENGINEER, on is certification is to be signed and sealed by a land surveyor, engineer, or architection formation. I certify that the information on this Certificate represents my best efforts understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be given the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for the Bf a) the same as that used for th	NGVD 29 EL=148     NGVD 1929	Other/Source: measurement used.  It	
Benchmark Utilized: PIERCE CO. BM 103-6T  Verical Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the Britan a). Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support  SECTION D — SURVEYOR, ENGINEER, this certification is to be signed and sealed by a land surveyor, engineer, or architect formation. I certify that the Information on this Certificate represents my best efforts understand that any false statement may be punishable by fine or Imprisonment understand that any false statement may be punishable by fine or Imprisonment understand that any false statement may be punishable by fine or Imprisonment understand that any false statement may be punishable by fine or Imprisonment understand that any false statement may be punishable by fine or Imprisonment understand that any false statement may be punishable by fine or Imprisonment understand the comments are provided on back of form.	NGVD 29 EL=148     NGVD 1929	Other/Source: measurement used.  It	
Benchmark Utilized: PIERCE CO. BM 103-6T  Verical Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support  SECTION D - SURVEYOR, ENGINEER, this certification is to be signed and sealed by a land surveyor, engineer, or architect formation. I certify that the Information on this Certificate represents my best efforts understand that any false statement may be punishable by fine or Imprisonment under Check here If comments are provided on back of form.  Were latitude and long icensed land surveyor.	NGVD 29 EL=148     NGVD 1929	Other/Source:	
Benchmark Utilized: PIERCE CO. BM 103-6T  Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support  SECTION D — SURVEYOR, ENGINEER, of this certification is to be signed and sealed by a land surveyor, engineer, or architection and that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment unders	NGVD 29 EL=148     NGVD 1929	Other/Source:  measurement used.  It   meters  It   meters	
Benchmark Utilized: PIERCE CO. BM 103-6T  Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support  SECTION D - SURVEYOR, ENGINEER, of this certification is to be signed and sealed by a land surveyor, engineer, or architector and that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment underst	NGVD 29 EL=148     NGVD 1929	Other/Source:  measurement used.  It   meters  It   meters	
Benchmark Utilized: PIERCE CO. BM 103-6T  Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BF  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support  SECTION D — SURVEYOR, ENGINEER, on this certification is to be signed and sealed by a land surveyor, engineer, or architect formation. I certify that the Information on this Certificate represents my best efforts understand that any false statement may be punishable by fine or Imprisonment under Check here if comments are provided on back of form.  Check here if attachments.  Certifier's Name  JOSEPH J. FLANSBURG	NGVD 29 EL=148     NGVD 1929	Other/Source: measurement used.  It	

## **ELEVATION CERTIFICATE**, page 2

IMPORTANT: In these spaces, copy the o	orresponding information from 5	Section A,	<del>, , , , , , , , , , , , , , , , , , , </del>	FOR INSURANC	E COMPANY USE
Building Street Address (including Apt., Ur			······································	Policy Number:	
1512 HANSBERRY AVE NE City ORTING	State WA	ZIP Code 98360		Company NAIC No	mber:
	- SURVEYOR, ENGINEER, (	OR ARCHITECT C	ERTIFICATION (C	CONTINUED)	
Copy both sides of this Elevation Certifica	te for (1) community official, (2) I	nsurance agent/com	pany, and (3) buildin	g owner.	
Comments LOWEST ELEVATION OF	MACHINERY IS THE WATE	ER HEATER IN G	ARAGE		
				****	***************************************
Signature System ).	Theling		6-2-14		
SECTION E - (BUILDING ELEVAT					
For Zones AO and A (without BFE), complet For Items E1–E4, use natural grade, if avai E1. Provide elevation information for the fo	llable. Check the measurement u	sed. In Puerto Rico o	inly, enter meters.		
grade (HAG) and the lowest adjacent g		e boxes to show who	ther the elevation is	s above or below t	ne menest adjacent
a) Top of bottom floor (including basen					below the HAG.
b) Top of bottom floor (including basen			feet met		below the LAG.
<ol><li>For Building Diagrams 6–9 with permai the next higher floor (elevation C2.b in</li></ol>		ection A items & and	or 9 (see pages & Geet ☐ met	The second secon	below the HAG.
3. Attached garage (top of slab) is	the diagrams) of the bolloning is		☐ fcet ☐ met	AND IN THE PARTY OF THE PARTY O	below the HAG.
4. Top of platform of machinery and/or ed	quipment servicing the building is	i	☐ feet ☐ met	ers 🔲 above or	below the HAG.
5. Zone AO only: If no flood depth number		ttom floor elevated in	n accordance with th	ne community's flo	odplain management
SECTION F	- PROPERTY OWNER (OR C	WNER'S REPRE	SENTATIVE) CER	TIFICATION	, , , , , , , , , , , , , , , , , , , ,
he property owner or owner's authorized r one AO must sign here. The statements i	representative who completes Se	ctions A, B, and E fo	r Zone A (without a f		mmunity-issued BFE)
roperty Owner or Owner's Authorized Rep	esentative's Name				
ddress		City	St	ate ZIP (	Code
ignature		Date	Te	lephone	
Comments					
1	'			Chec	k here if attachments.
	SECTION C. COMMUNI	TV INCODRATION	I (ODTIONAL)		
he local official who is authorized by law or	SECTION G - COMMUNI			can complete Se	otions A B C (or F) an
in the focal official who is authorized by law or of this Elevation Certificate. Complete the 1.   The Information in Section C was who is authorized by law to certify 12.  A community official completed Section 13.  The following information (Items 6	applicable item(s) and sign below taken from other documentation y elevation information. (Indicate ection E for a building located in 2	<ul> <li>Check the measure</li> <li>that has been sign</li> <li>the source and dat</li> <li>Zone A (without a FE)</li> </ul>	ment used in Items ( ed and sealed by a e of the elevation d WA-issued or commu	G8–G10. In Puerto licensed surveyor ata in the Comme	Rico only, enter meter r, engineer, or archited nts area below.)
4. Permit Number	G5. Date Permit Issued	1-14 G6	Date Certificate Of		pancy Issued
7. This permit has been issued for:	New Construction Subst	tantial Improvement			y on a wife
8. Elevation of as-built lowest floor (inclu	iding basement) of the building:		feet mete		
9. BFE or (in Zone AO) depth of flooding	at the building site:		feet mete		
10.Community's design flood elevation:			☐ feet ☐ mete	ers Datum	
ommunity Name	fe 10 - 1 - C =	Title Telephone	oldo !	of fich	210
ignature 40	netura	Date 1	5(0)	6013	4219
Comments Otto	MISSIM 1	pfo 00	DU 12	740	(25
B.O. noted			10/11/		
	C30 M	Dans	12112		
	C30 00	plans			k here if attachments
MA Form 086-0-33 (Revised 7/12)	C36 (A)	pans			k here if altachments

## **ELEVATION CERTIFICATE**, page 3

## **BUILDING PHOTOGRAPHS**

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.  Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.  1512 HANSBERRY AVE NE			FOR INSURANCE COMPANY USE Policy Number:	
ORTING	WA	98360		

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as Indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



