ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

					<u> </u>
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg, Number) OR P.O. ROUTE AND BOX NUMBER					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and E	Block Numbers, etc.)	a P	lace		
or ting				WA-	2IP CODE 98360
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the	ne proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3, SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
530143	000	B	9-27-85	A-4	1945
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE: L	no BFE is provided or	n the FIRM, ar	nd the community has est	ablished a BFE f	Other (describe on back) or this building site, indicate
	SECTIO	NC BUILDI	NG ELEVATION INFORM	ATION	
the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in account ander Comments on Pagethe FIRM [see Section]	VE, and V (with BFE) is at an elevation of L BFE). The floor used the highest grade action used as the reference adjacent to the build redance with the communitum system used in die 2). (NOTE: If the B, Item 7], then conve	The bottom of th	of the lowest horizontal st feet NGVD (or other FIF nce level from the selected building. In the selected diagram is didepth number is availabilatin management ordinar above reference level eleminated in measuring the	RM datum-see S ad diagram is L ale, is the building ace? Yes C evations: No elevations is diff	above or below (check g's lowest floor (reference) No Unknown
equation under Commer 4. Elevation reference mark		RM: 🗡 Yes [No (See Instructions o	on Page 4)	•
5. The reference level elevel (NOTE: Use of construct case this certificate will owill be required once con	tion drawings is only nly be valid for the bu	valid if the bui ilding during ti	lding does not yet have th	ie reference leve	el floor in place, in which ction Elevation Certificate
6. The elevation of the lower Section B, Item 7).	est grade immediately	adjacent to the	ne building is: 1198	J.교.feet NGVI) (or other FIRM datum-see
	S	ECTION D C	OMMUNITY INFORMATI	ON	
is not the "lowest floor" a	as defined in the com	munity's floodp	evations specifies that the plain management ordinar NGVD (or other FIRM da	nce, the elevatio	indicated in Section C, Item 1 n of the building's "lowest n B, Item 7).

2. Date of the start of construction or substantial improvement


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)
TITLE	COMPANY NAME Lesoy Savey Or
ADDRESS	POITY STATE ZIP 21P 21P 21P 21P 21P 21P 21P 21P 21P 21
SIGNATURE)	7-22-99 253 948-668
Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.
COMMENTS:	
•	



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.